




DIN 94

ISO 1234

Norme abrogée



BN 912

Goupilles fendues

Acier

zingué-bleu

- ~UNI 1336
- ~ČSN 021781

 [3D Cadenas](#)

Article#	Customer Article#	d ₁	d ₁ min.	d ₁ max.	c min.	c max.	a max.	b~	L
1363557		1	0,8	0,9	1,6	1,8	1,6	3	6
1363565									8
1363573									10
1363581									12
1363603									16
1363638									20
1363646									25
1363654									32
1363662									36
1415344		1,2	0,9	1	1,7	2	2,5	3	8
1415352									10
1415360									12
1415379									16
1415395									20
1415417									25
1415441		1,6	1,3	1,4	2,4	2,8	2,5	3,2	6
1363670									8
1363689									10
1363697									12
8151555									14
1363700									16
1363727									20
1363743									25
1363751									32
1363778									36
1363786									40

Article#	Customer Article#	d ₁	d ₁ min.	d ₁ max.	c min.	c max.	a max.	b~	L
1415468		2	1,7	1,8	3,2	3,6	2,5	4	6
1363794									10
1363808									12
8045054									14
1363816									16
1363824									18
1363832									20
1415484									22
1363840									25
1415492									28
1363859									32
1363867									36
1363875									40
1363883									45
1363905		2,5	2,1	2,3	4	4,6	2,5	5	10
1363913									12
8045062									14
1363921									16
1363948									18
1363956									20
1437852									22
1363964									25
1437860									28
1363972									32
1363980									36
1363999									40
1364006									45
1364014									50
1364022		3,2	2,7	2,9	5,1	5,8	3,2	6,4	10
1364030									12
1364049									16
1364057									18
1364065									20
1437887									22
1364073									25
1437895									28
1364081									32
1364103									36
1364111									40
1364138									45
1364146									50

Article#	Customer Article#	d ₁	d ₁ min.	d ₁ max.	c min.	c max.	a max.	b~	L
1437909		3,2	2,7	2,9	5,1	5,8	3,2	6,4	56
1364154									63
8045089									71
8151563									80
1437917		4	3,5	3,7	6,5	7,4	4	8	16
1437925									18
1364251									20
1437933									22
1364278									25
1437941									28
1364286									32
1364294									36
1364308									40
1364316									45
1364324									50
1437968									56
1364332									63
1364340									71
1364359									80
1437976									100
1438018		5	4,4	4,6	8	9,2	4	10	20
1364375									25
8068941									28
1364383									32
1364391									36
1364405									40
1364413									45
1364421									50
5515659	5515659								56
1364448									63
1364456									71
1364464									80
1437984									90
1437992									100
1364472		6,3	5,7	5,9	10,3	11,8	4	12,6	32
1364480									36
1364499									40
1364502									45
1364510									50
5519572	5519572								56
1364529									63

Article#	Customer Article#	d ₁	d ₁ min.	d ₁ max.	c min.	c max.	a max.	b~	L
1364537		6,3	5,7	5,9	10,3	11,8	4	12,6	71
1364545									80
1445065									90
1416324									100
1438034									125
1438050		8	7,3	7,5	13,1	15	4	16	40
1438069									45
1416332									50
5505237									56
1364553									63
1364561									71
1364588									80
1438077									90
1364596									100
1438085									112
1416340									125
8069794		10	9,3	9,5	16,6	19	6,3	20	45
1438093									50
5323782									56
1416359									63
1416367									71
1416375									80
1438107									90
1416383									100
1438115									112
1416391									125
8062293									140
1438123		13	12,1	12,4	21,7	24,8	6,3	26	71
1438131									80
1438158									90
1438166									100
1438174									112
1438182									125