



DWG


PT100020



Référence  
**138 646 006**  
 Matière Acier Zinc passivé Chrome 3  
 (CS-ZnCR3)

**UNCONTROLLED**

NOV 2 5 2002



NOTES:

- PARTS TO HOLD THREADED BOLT IN PLACE IN A SUB-ASSEMBLY AS A TEMPORARY FASTENER UNTIL FINAL ASSEMBLY.
- PERFORMANCE:  
 MAX PUSH ON FORCE = 155.7 N  
 MIN HOLDING STRENGTH = 667.0 N

			<b>TINNERMAN PALNUT</b> ENGINEERED PRODUCTS, LLC MOUNTAINSIDE, NJ		PAL® PALNUT® DN SERT® PUSHNUT®		
			MATERIAL: CARBON SPRING STEEL-.38±.02-SAE1050		TITLE PUSHNUT FASTENER, ROUND FLAT TYPE, STYLE 'PT' BOLT RETAINER 10mm x 20mm SIZE		
			HARDNESS: ROCKWELL 30N 58-68		DRAWN: BAD	RELEASED	
11/18/02	C	ECO315 9.09 REF. WAS 9.24 / 6.94, REMOVED ID NOTE	B.A.		DATE: 9/8/93	SCALE: NONE	
11/27/00	B	ECO180: DISCLAIMER NOTE ADDED.	CNC		PART No: PT 100020		
8/10/00	A	REDRAWN TO AUTOCAD 2000	M.S.		CHECKED:	DWG No.	
DATE	REV	DESCRIPTION	BY		APPROVED: <i>[Signature]</i>	PT100020	